RM3812 – FURNITURE & ASSOCIATED SERVICES FRAMEWORK LOT 1

LOT 1:

TASK, LOOSE FURNITURE AND SUNDRY ITEMS –

FURNITURE SUPPLIER CATALOGUE

VERSION 1.0

SEPTEMBER 2017

Contents

SECTION XX	CORE LIST	3
SECTION A	TASK FURNITURE	16
SECTION A1	SUNDRY ITEMS, TASK	33
SECTION B	LOOSE FURNITURE	36
SECTION B1	SUNDRY ITEMS, LOOSE	90

Please identify and label those items for GPU **ONLY**.

SECTION XX – CORE LIST

UNSPSC/PRODUCT CODE:

56101530 / CORE-01-RMC / M782D/CW

NAME OF PRODUCT:

METRIX

PRODUCT AREA

CORE LIST

ITEM DESCRIPTION/SPECIFICATION

CORE-01-RMC

2H CLOSED TEAM STORAGE UNITS - WITH DRAWERS

3H CLOSED TEAM STORAGE UNITS - WITH DRAWERS

Powder coated metal to match the colour finish of desking frame.
All storage units should be within the same design range.
Price with plain shelves.
Internal components within the storage units able to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins.

DIMENSIONS

Approx dimensions: W800 X D450-500.

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 2004

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC

NAME OF PRODUCT:
METRIX

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
2H CLOSED TEAM STORAGE UNITS - WITH TAMBOUR ACCESS
3H CLOSED TEAM STORAGE UNITS - WITH TAMBOUR ACCESS

Powdercoated metal to match the colour finish of desking frame.
All storage units should be within the same design range.
Price with plain shelves.
Internal components within the storage units able to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit – 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 200

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC

NAME OF PRODUCT:
METRIX

PRODUCT AREA
CORE LIST

GPU ONLY.

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H OPEN TEAM STORAGE UNITS - OPEN SHELVES WITH PLANTERS

Powder coated metal to match the colour finish of desking frame.
Price with plain shelves.
All storage units should be within the same design range. Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins. Storage units to have open access. Storage units to be topped with planters.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit – 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 200

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC

NAME OF PRODUCT:
METRIX

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H CLOSED TEAM STORAGE UNITS - WITH TAMBOUR ACCESS

Powdercoated metal to match the colour finish of desking frame. All storage units should be within the same design range. Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins. Storage units to have open access. Storage units to be topped with planters.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit – 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 200

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC

NAME OF PRODUCT:
METRIX

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H CLOSED TEAM STORAGE UNITS WITH PLANTERS

Powdercoated metal to match the colour finish of desking frame. All storage units should be within the same design range. Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins. Storage units to have open access. Storage units to be topped with planters.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 2004

UNSPSC/PRODUCT CODE:
56101504 / CORE-01-STC

NAME OF PRODUCT:
NERO

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CORE-01-STC
FULLY ERGONOMIC TASK CHAIR – CORE

Include Seat slide
Black base and trim
Black frame
Side adjust synchro mechanism
3D height adjustable arms
180 degree pad rotation

DIMENSIONS

Back Height	550mm
Width	430mm
Depth	630mm
Seat Depth	480-520mm
Seat Height	400-530m

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric 40,000 rub (martindale).
Manufactures fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15%
Recyclability Material Content	98%
Information on Emissions	100 kg of CO2
Accreditation for Product	BS5459-2: 2000+A2 2008, BS EN 1335-1: 2000, BS EN 1335-2: 2009, BS 7176: 2007 + A1: 2011, BS 5852-1:1979, BS 5852:2006 - Clause 12, BS EN ISO 2409:2013 BS EN ISO 9001:2015, BS EN ISO 14001:2015

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-STC

NAME OF PRODUCT:
NERO

PRODUCT AREA
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION
COLAB-01-STC
FULLY ERGONOMIC TASK CHAIR – COLLABORATE

Include Seat slide
Black base and trim
Black frame
Side adjust synchro mechanism
3D height adjustable arms
180 degree pad rotation

DIMENSIONS

Back Height	550mm
Width	430mm
Depth	630mm
Seat Depth	480-520mm
Seat Height	400-530m

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric 40,000 rub (martindale).
Manufactures fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15%
Recyclability Material Content	98%
Information on Emissions	100 kg of CO2
Accreditation for Product	BS5459-2: 2000+A2 2008, BS EN 1335-1: 2000, BS EN 1335-2: 2009, BS 7176: 2007 + A1: 2011, BS 5852-1:1979, BS 5852:2006 - Clause 12, BS EN ISO 2409:2013 BS EN ISO 9001:2015, BS EN ISO 14001:2015

UNSPSC/PRODUCT CODE:
56101504 / CONC-01-STC

NAME OF PRODUCT:
NERO

PRODUCT AREA
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION
COLAB-01-STC
FULLY ERGONOMIC TASK CHAIR – CONCENTRATE

Include Seat slide
Black base and trim
Black frame
Side adjust synchro mechanism
3D height adjustable arms
180 degree pad rotation

DIMENSIONS

Back Height	550mm
Width	430mm
Depth	630mm
Seat Depth	480-520mm
Seat Height	400-530m

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric 40,000 rub (martindale).
Manufactures fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15%
Recyclability Material Content	98%
Information on Emissions	100 kg of CO2
Accreditation for Product	BS5459-2: 2000+A2 2008, BS EN 1335-1: 2000, BS EN 1335-2: 2009, BS 7176: 2007 + A1: 2011, BS 5852-1:1979, BS 5852:2006 - Clause 12, BS EN ISO 2409:2013 BS EN ISO 9001:2015, BS EN ISO 14001:2015

UNSPSC/PRODUCT CODE:
56111500/**CORE-01-TWB**

NAME OF PRODUCT:
STREAM 2

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CORE-01-TWB
1 PERSON WORKBENCH

Top material/finish: white base material, powder coated white/anthracite/black manufacture standard finish. Frame to co-ordinate with sit-stand desk. Desk top presented power to provide 2 x usb power ports and 2 x power point per desk. Vertical cable distribution shall allow for flexible, concealed and protect connection from floor box/grommet to horizontal cable management with segregated distribution. Cable basket underneath of each desk surface for horizontal cable management. Desks to allow integration with monitor arms (refer to core-01-ms). Desk to allow for integration of acoustic and privacy divider screens.

DIMENSIONS

W1400 X D800 X H720

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

Top material/finish: white base material, powder coated white/anthracite/black manufacture standard finish.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56111500/**CORE-01-TWB**

NAME OF PRODUCT:
STREAM 2

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CORE-01-TWB
2/4/6/8 PERSON WORKBENCH

Top material/finish: white base material/finish: powder coated white/anthracite/black manufacture standard finish. Frame to co-ordinate with sit-stand desk. Desk top presented power to provide 2 x usb power ports and 2 x power point per desk. Vertical cable distribution shall allow for flexible, concealed and protect connection from floor box/grommet to horizontal cable management with segregated distribution. Cable basket underneath of each desk surface for horizontal cable management. Desks to allow integration with monitor arms (refer to core-01-ms). Desk to allow for integration of acoustic and privacy divider screens.

DIMENSIONS

2 PERSON WORKBENCH
W2800 X D800 X H720
2 PERSON WORKBENCH SECURITY POST RM
W3000 X D800 X H720 (APPROX)
4 PERSON WORKBENCH (1400 DESK)
W2800 X D1600 X H720
6 PERSON WORKBENCH (1400 DESK)
W4200 X D1600 X H720
8 PERSON WORKBENCH (1400 DESK)
W5600 X D1600 X H720
6 PERSON WORKBENCH CONCENTRATE (1400 DESK): W4200 X D1600 X H720
8 PERSON WORKBENCH CONCENTRATE (1400 DESK); W5600 X D1600 X H720

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527-2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

Top material/finish: white base material/finish: powder coated white/anthracite/black manufacture standard finish.

UNIT PRICE:

UNSPSC/PRODUCT CODE:
56101703 / CONC-02-TWB

NAME OF PRODUCT:
GO-ELECTRIC

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION
CONC-02-TWB
1,2,4,6,8 PERSON SIT STAND DESKING - CORE

GO-ELECTRIC desking range offer affordable sit-stand height adjustable with instant operation and effortless smooth mechanism. At an additional cost the height of the worktop can be shown and pre-set on a digital display. Anti-collision feature
Choice of single freestanding or back-to-back bench height adjustable desks. Tops available with cable ports and square corners. Central frame or individual top fixed cable tray option available. Anti-collision feature. Frame fixed screen mounting facility also available. Electric motor mechanism speed: 35mm per sec. User adjustable control: Yes. Load capacity: 80kg.
MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

DIMENSIONS

W1400 X D1600 X H650-1250

DESKS:
1 PERSON SIT STAND BENCH
W1400 X D1600 X H650-1250
2 PERSON SIT STAND BENCH
W1400 X D1600 X H650-1250
4 PERSON SIT STAND BENCH
W2800 X D1600 X H650-1250
6 PERSON SIT STAND BENCH
W4200 X D1600 X H650-1250
8 PERSON SIT STAND BENCH
W5600 X D1600 X H650-1250

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	21%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

UNSPSC/PRODUCT CODE:
56101703 / CORE-01-TIM

NAME OF PRODUCT:
VEPA

PRODUCT AREA
CORE LIST

ITEM DESCRIPTION/SPECIFICATION:
CORE-01-TIM INFORMAL MEETING BENCH

White base material or timber veneer finish.
Built in counter or free standing joinery item.

DIMENSIONS

W3200 X D1000 X H735

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

White

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24% (estimated)
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

UNSPSC/PRODUCT CODE:
43212002 / S100/S111/ CORE-01-MS

NAME OF PRODUCT:
MOE

PRODUCT AREA
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-MS
MONITOR ARMS IN SINGLE, DOUBLE, TRIPLE OR QUADRUPLE CONFIGURATIONS

Colour/finish: white/black/metallic finish.
Arm rotation to allow for monitor position in landscape and portrait format.
Freely adjustable for height and reach by user.
Fixed to desk via clamp mechanism.
Monitor arms to be fitted to desk tops as required.
Monitor arms to be able to move independently of each other and prevent transference of movement or clashing with neighbouring user equipment.
Triple and quadruple configurations should have the ability to support 3 or 4 monitors weighing up to approx 9kg in both horizontal and 2 over 2 configuration.

DIMENSIONS

Single
Double
Triple
Quadruple

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	35%
Recyclability Material Content	95%
Information on Emissions	N/A
Accreditation for Product	N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Colour/finish: white/black/metallic finish

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC / M782D/CW

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
2H CLOSED TEAM STORAGE UNITS - WITH DRAWERS

Powder coated metal to match the colour finish of desking frame.
All storage units should be within the same design range.
Price with plain shelves.
Internal components within the storage units able to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins.

DIMENSIONS

Approx dimensions: W800 X D450-500.

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 2004

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC / M988T & MS8/1/

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
2H CLOSED TEAM STORAGE UNITS - WITH TAMBOUR ACCESS

Powdercoated metal to match the colour finish of desking frame.
All storage units should be within the same design range.
Price with plain shelves.
Internal components within the storage units able to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit – 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 200

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC / M128 & MS8/ 1 x 2 – PLB

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
CORE

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H OPEN TEAM STORAGE UNITS WITH PLANTERS

Powdercoated metal to match the colour finish of desking frame.
Price with plain shelves.
All storage units should be within the same design range. Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins. Storage units to have open access. Storage units to be topped with planters.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit – 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 200

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC / M983D/CW/

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H CLOSED TEAM STORAGE UNITS - WITH DRAWERS

Powdercoated metal to match the colour finish of desking frame.
All storage units should be within the same design range.
Price with plain shelves.
Internal components within the storage units able to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 2004

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC / M128T & 2 x MS8/1/

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H CLOSED TEAM STORAGE UNITS - WITH TAMBOUR ACCESS

Powdercoated metal to match the colour finish of desking frame. All storage units should be within the same design range. Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins. Storage units to have open access. Storage units to be topped with planters.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit – 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 200

UNSPSC/PRODUCT CODE:
56101530 / CORE-01-RMC / L1212BDF/OF – PLB/

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-RMC
3H CLOSED TEAM STORAGE UNITS WITH PLANTERS

Powdercoated metal to match the colour finish of desking frame. All storage units should be within the same design range. Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers drawer dividers and recycling bins. Storage units to have open access. Storage units to be topped with planters.

DIMENSIONS

Approx dimensions: W800 X D450-500

All storage to be at a maximum height of 1600mm where required in open plan office areas.
Additional storage at 1400mm, 1200mm and 1000mm high as required within cellular offices/meeting rooms.

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Powder coated metal to match the colour finish of desking frame.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information on Emissions	CO2 per 1 unit 0.0377 tonnes
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 : 2004

UNSPSC/PRODUCT CODE:
56101504 / CORE-01-ST1

NAME OF PRODUCT:
NERO

PRODUCT AREA:
CORE, COLLABORATE & CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-STC
FULLY ERGONOMIC TASK CHAIR – CORE
FULLY ERGONOMIC TASK CHAIR – COLLABORATE
FULLY ERGONOMIC TASK CHAIR - CONCENTRATE

Seat slide
Black base and trim
Black frame
Side adjust syncro mechanism
3D height adjustable arms

DIMENSIONS

Back Height	550mm
Width	430mm
Depth	630mm
Seat Depth	480-520mm
Seat Height	400-530m

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric 40,000 rub (martindale).
Manufactures fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15%
Recyclability Material Content	98%
Information on Emissions	100 kg of CO2
Accreditation for Product	BS5459-2: 2000+A2 2008, BS EN 1335-1: 2000, BS EN 1335-2: 2009, BS 7176: 2007 + A1: 2011, BS 5852-1:1979, BS 5852:2006 - Clause 12, BS EN ISO 2409:2013 BS EN ISO 9001:2015, BS EN ISO 14001:2015

UNSPSC/PRODUCT CODE:
56101504 / ACC-01-STC

NAME OF PRODUCT:
NERO

PRODUCT AREA:
ACCESS

ITEM DESCRIPTION/SPECIFICATION
ACC-01-STC
FULLY ERGONOMIC RECEPTION CHAIR

Fabric 40,000 rub (martindale). Manufactures fabric bands 3 or below. Manufacturer standard accent colour upholstery seat. Technical fabric mesh back with adjustable seat slide. Upholstered cmhr foam seat base. Seat shell and back frame in range of standard colours. 5 star base with soft break castors. Chair to include headrest. Adjustable lumbar support. Synchronous and weight balancing action with up to 20 degrees of incline – with locking capability.

DIMENSIONS

Adjustable seat height:
Min 400mm - 530mm max
Adjustable arm (H100 X W35 option available, pad rotation: 180 degree).

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric 40,000 rub (martindale).
Manufactures fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15%
Recyclability Material Content	98%
Information on Emissions	100 kg of CO2
Accreditation for Product	BS5459-2: 2000+A2 2008, BS EN 1335-1: 2000, BS EN 1335-2: 2009, BS 7176: 2007 + A1: 2011, BS 5852-1:1979, BS 5852:2006 - Clause 12, BS EN ISO 2409:2013 BS EN ISO 9001:2015, BS EN ISO 14001:2015

UNSPSC/PRODUCT CODE:
56111500 / CORE-01-TWB

NAME OF PRODUCT:
STREAM 2

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-TWB
1 PERSON WORKBENCH

Top material/finish: white base material/finish: powder coated white/anthracite/black manufacture standard finish. Frame to co-ordinate with sit-stand desk. Desk top presented power to provide 2 x usb power ports and 2 x power point per desk. Vertical cable distribution shall allow for flexible, concealed and protect connection from floor box/grommet to horizontal cable management with segregated distribution. Cable basket underneath of each desk surface for horizontal cable management. Desks to allow integration with monitor arms (refer to core-01-ms). Desk to allow for integration of acoustic and privacy divider screens.

DIMENSIONS

W1400 X D800 X H720

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

Top material/finish: white base material/finish: powder coated white/anthracite/black manufacture standard finish.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56111500 / CORE-01-TWB

NAME OF PRODUCT:
STREAM 2

PRODUCT AREA
CORE

ITEM DESCRIPTION/SPECIFICATION
CORE-01-TWB
2/4/6/8 PERSON WORKBENCH

Top material/finish: white base material/finish: powder coated white/anthracite/black manufacture standard finish. Frame to co-ordinate with sit-stand desk. Desk top presented power to provide 2 x usb power ports and 2 x power point per desk. Vertical cable distribution shall allow for flexible, concealed and protect connection from floor box/grommet to horizontal cable management with segregated distribution. Cable basket underneath of each desk surface for horizontal cable management. Desks to allow integration with monitor arms (refer to core-01-ms). Desk to allow for integration of acoustic and privacy divider screens.

DIMENSIONS

2 PERSON WORKBENCH
W2800 X D800 X H720
2 PERSON WORKBENCH SECURITY POST RM
W3000 X D800 X H720 (APPROX)
4 PERSON WORKBENCH (1400 DESK)
W2800 X D1600 X H720
6 PERSON WORKBENCH (1400 DESK)
W4200 X D1600 X H720
8 PERSON WORKBENCH (1400 DESK)
W5600 X D1600 X H720
6 PERSON WORKBENCH CONCENTRATE (1400 DESK): W4200 X D1600 X H720
8 PERSON WORKBENCH CONCENTRATE (1400 DESK); W5600 X D1600 X H720

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527-2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

Top material/finish: white base material/finish: powder coated white/anthracite/black manufacture standard finish.

UNIT PRICE:

UNSPSC/PRODUCT CODE:
56101703 / CONC-02-TWB

NAME OF PRODUCT:
GO-ELECTRIC

PRODUCT AREA:
CORE

ITEM DESCRIPTION/SPECIFICATION
CONC-02-TWB
1,2,4,6,8 PERSON SIT STAND DESKING - CORE

GO-ELECTRIC desking range offer affordable sit-stand height adjustable with instant operation and effortless smooth mechanism. At an additional cost the height of the worktop can be shown and pre-set on a digital display. Anti-collision feature
Choice of single freestanding or back-to-back bench height adjustable desks. Tops available with cable ports and square corners. Central frame or individual top fixed cable tray option available
Frame fixed screen mounting facility also available.
Electric motor mechanism speed: 35mm per sec.
User adjustable control: Yes. Load capacity: 80kg.
MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

DIMENSIONS

W1400 X D1600 X H650-1250

DESKS:
1 PERSON SIT STAND BENCH
W1400 X D1600 X H650-1250
2 PERSON SIT STAND BENCH
W1400 X D1600 X H650-1250
4 PERSON SIT STAND BENCH
W2800 X D1600 X H650-1250
6 PERSON SIT STAND BENCH
W4200 X D1600 X H650-1250
8 PERSON SIT STAND BENCH
W5600 X D1600 X H650-1250

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	21%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

UNSPSC/PRODUCT CODE:
56101703 / CONC-02-TWD

NAME OF PRODUCT:
GO-ELECTRIC

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION
CONC-02-TWD
1 PERSON SIT STAND DESKING - CONCENTRATE

GO-ELECTRIC desking range offer affordable sit-stand height adjustable with instant operation and effortless smooth mechanism. At an additional cost the height of the worktop can be shown and pre-set on a digital display. Anti-collision feature
Choice of single freestanding or back-to-back bench height adjustable desks. Tops available with cable ports and square corners. Central frame or individual top fixed cable tray option available
Frame fixed screen mounting facility also available.
Electric motor mechanism speed: 35mm per sec.
User adjustable control: Yes. Load capacity: 80kg.
MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

DIMENSIONS

W1400 X D800 X H650-1250

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	21%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101703 / CONC-02-TWD

NAME OF PRODUCT:
GO-ELECTRIC

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION
CONC-02-TWD
2 PERSON SIT STAND DESKING - CONCENTRATE

GO-ELECTRIC desking range offer affordable sit-stand height adjustable with instant operation and effortless smooth mechanism. At an additional cost the height of the worktop can be shown and pre-set on a digital display. Anti-collision feature
Choice of single freestanding or back-to-back bench height adjustable desks. Tops available with cable ports and square corners. Central frame or individual top fixed cable tray option available
Frame fixed screen mounting facility also available.
Electric motor mechanism speed: 35mm per sec.
User adjustable control: Yes. Load capacity: 80kg.
MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

DIMENSIONS

W1400 X D800 X H650-1250

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	21%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101703 / CONC-02-TWD

NAME OF PRODUCT:
GO-ELECTRIC

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION
CONC-02-TWD
3 PERSON SIT STAND DESKING - CONCENTRATE

GO-ELECTRIC desking range offer affordable sit-stand height adjustable with instant operation and effortless smooth mechanism. At an additional cost the height of the worktop can be shown and pre-set on a digital display. Anti-collision feature
Choice of single freestanding or back-to-back bench height adjustable desks. Tops available with cable ports and square corners. Central frame or individual top fixed cable tray option available
Frame fixed screen mounting facility also available.
Electric motor mechanism speed: 35mm per sec.
User adjustable control: Yes. Load capacity: 80kg.
MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

DIMENSIONS

W1400 X D800 X H650-1250

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	21%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2: 2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1: 2015

POWER OPTIONS

1x power module per position, desktop power module to provide 2x power and 2x usb power. Horizontal and vertical cable management solution required.

FABRIC/FINISH DETAILS

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNIT PRICE

UNSPSC/PRODUCT CODE:

56101520 / MLC128HD4DR4/4DIGC/SP
56101520 / MLC128HD4DR4/4DIGC/SP – PLB
56101520 / MLC1682HD6DR/4DIGC/SP

NAME OF PRODUCT:

METRIX PERSONAL LOCKER UNITS – 3H (6L)

PRODUCT AREA:

ACCESS

ITEM DESCRIPTION/SPECIFICATION

ACC-01-RLK

PERSONAL LOCKERS UNITS - 3H (6L) without or with planters (PLB)

All locker carcasses to be in finished manufacturer standard powder coated steel or high pressure laminate in light grey. Doors to receive recessed handles and to be a mix of a1 and c1 colour range for a visual break-up. 2 swing doors and 1 top access drawer at bottom. Lockers to be located in built-in niches where possible. Individual compartments to be lockable, digital system with master key only. Verify project specific program requirements for final locker sizes and configuration. Doors to be capable of receiving applied permanent, large scale graphic labelling.

DIMENSIONS

Maximum 1800mm high.
Approx unit dimensions:
ACC-01- RLK - W400 X D500 X H400 .

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

All locker carcasses to be in finished manufacturer standard powder coated steel or high pressure laminate in light grey.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	98%
Information on Emissions	CO2 per 1 unit – 0.0377
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 :2004

UNSPSC/PRODUCT CODE:
56101712 / SUNT-01 / PMS 3521

NAME OF PRODUCT:
CUBE

PRODUCT AREA:
SUNDRY

GPU ONLY.

ITEM DESCRIPTION/SPECIFICATION
SUNT-01
PEDESTAL

One piece pressed steel body. Ral 910 pure white finish (14102). 18 mm steel top. 2 box drawers, 1 file drawer. Key locking. Recessed side pulls. Pen tray & file bar. Mobile castors & 5th anti-tilt castor.

DIMENSIONS

W300 X D555 X H642

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Ral 910 pure white finish (14102).

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	25%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	Manucfactured to BS EN 14073-2 : 2004, BS EN 14073-3 : 2004, BS EN 14074 : 2004, BS 4875-7 : 2006

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101717 / SUNT-02

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY.

ITEM DESCRIPTION/SPECIFICATION
SUNT-02
LAPTOP STAND

Standard manufacturer black/grey finish. Stand to receive up to 17inch laptop. Easy height and angle adjustments with secure lock.

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Standard manufacturer black/grey finish.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101900 / SUNT-03

NAME OF PRODUCT:
ORION

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION
SUNT-03
POWER MODULE

Manufacturer standard finish: socket – white, encasing – white. Desk top fixing bracket: clamp bracket. 2x power plug and 2x usb with fast charge power.

DIMENSIONS

N/A

POWER OPTIONS

2x power plug and 2x usb per person,

FABRIC/FINISH DETAILS

Manufacturer standard finish: socket – white, encasing – white.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	BS 5733 : 1995, BS 6396 : 2008. Electrical systems : BS 6396 – Electrical systems in office furniture and office screens

SECTION B – LOOSE FURNITURE

UNSPSC/PRODUCT CODE:
56101520 /AMENI-01-RLK / MLC165HD3DR/4DIGC/SP

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
AMENITY

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	98%
Information on Emissions	CO2 per 1 unit – 0.0377
Accreditation for Product	BS 1449 Part 1 : 1983, BS EN 14073-2 : 2004, BS EN 14074 : 2004, BS 4875-8 : 1998, BS 4875-7 Level 4 : 2006, BS EN 14073-3 :2004

ITEM DESCRIPTION/SPECIFICATION
AMENI-01-RLK
Lockers for visitor's personal effects and day-to-day work equipment.

Lockers for visitor's personal effects and day-to-day work equipment.
With 3 individual lockers with 1 drawer at lower level.
All locker carcasses to be finished in manufacturer standard powder coated steel or high pressure laminate in standard range colour.
Doors to receive recessed handles and to be a mix of A1 colour range for a visual break-up.
Lockers to be located in built-in niches where possible. Individual compartments to be lockable, digital system with master key only.
Verify project specific program requirements for final locker sizes and configuration.
Doors to be capable of receiving applied permanent graphic labelling

DIMENSIONS

W400 X D500 X H400
Maximum 1800mm high.

POWER OPTIONS

N/A,

FABRIC/FINISH DETAILS

All locker carcasses to be finished in manufacturer standard powder coated steel or high pressure laminate in standard range colour

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101703 / AMENI-02-TIM

NAME OF PRODUCT:
PANEL END

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-02-TIM – COUNTER HIGH TABLE BENCH DESK

White base material or timber veneer finish.
Built in counter or free standing joinery item.

DIMENSIONS

W2200 X D600-800 X H850-1010
(6 People)

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

White base material or timber veneer

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

UNSPSC/PRODUCT CODE:
56101530 / COLAB-01-RMC

NAME OF PRODUCT:
MFC STORAGE

PRODUCTAREA
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-RMC– LOW CREDENZA CUPBOARD UNIT

Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers and recycling bins.

DIMENSIONS

W800 X D450-600 X H800
W1200 X D400 X H788
W1200 X D500 X H788
W1600 X D450 X H788
W2000 X D500 X H788

POWER OPTIONS

NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 1
USB PORTS (PER UNIT) = 4
POWER PLUG POINTS (PER UNIT) = 1

FABRIC/FINISHDETAILS

Project specific top to incorporate water/scratch resistantfinish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 14073-2 : 2004, BS EN 14073-3 : 2004, BS EN 14074 : 2004, BS4875-7 : 2006

UNSPSC/PRODUCT CODE:
56101530 / COLAB-01-RMC

NAME OF PRODUCT:
MFC STORAGE

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-RMC– LOW CREDENZA CUPBOARD UNIT

Internal components within the storage units to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers and recycling bins.

Project specific:
1 x brushed metal grommet ontop
1 x aperture on interior shelf

DIMENSIONS

W800 X D450-600 X H800
W1200 X D500 X H788
W1600 X D450 X H788
W2000 X D500 X H788

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Project specific top to incorporate water/scratch resistantfinish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 14073-2 : 2004, BS EN 14073-3 :2004, BS EN 14074 : 2004, BS4875-7 : 2006

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-SBQ

NAME OF PRODUCT:
FIFTEEN

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SBQ–BUILT IN UPHOLSTERED BANQUETTE SEATING

Base height: not to exceed 150mm. Easily accessible storage element for equipment to be incorporated. Back construction: polyfoam over hardboard backing. Base or leg style: recessed. Seat construction: removable with polyfoam bonded dacron insulpad and coil springs.

DIMENSIONS

W1500 X D650 X H700 (SH400)
W1800 X D650 X H700 (SH400)
W2000 X D650 X H700 (SH400)

POWER OPTIONS

W2000 X D650 X H700 (SH400):
Integrated 2x power modules and each power module to have 1 x power plug and 2x usb power

FABRIC/FINISHDETAILS

Fabric + 40,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA	**%**
RecycledContent	9% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469.
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 :2011, BS 5852-1 : 1979, BS 5852: 2006 – Clause 12

UNSPSC/PRODUCT CODE:
56101522 / COLAB-01-SLC / SL22C

NAME OF PRODUCT:
SPIRIT LOUNGE

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SLC–FULLY UPHOLSTERED HIGH BACK LOUNGE CHAIR/LOUNGE SEATING

Material/finish: fully upholstered moulded foam.
Seating heights to be appropriate for the selected activity function.
Design to be project specific and to add regional accent.

DIMENSIONS

Overall Height	1200mm
Seat Height	450mm
Seat Depth	500mm
Overall Depth	730mm
Overall Width	620mm
Weight	20Kg

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Fabric details A1 range.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56101522 / COLAB-01-SLC / SL22C/TLT

NAME OF PRODUCT:
SPIRIT LOUNGS

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SLC–FULLY UPHOLSTERED HIGH BACK LOUNGE CHAIR/LOUNGE SEATING

Reclinable chair. Leather - pigmented grain-effect finish. 100 % corrected grain leather. 100,000 flexes. (BS EN ISO 5402 2002).
Seating heights to be appropriate for the selected activity function.
Design to be project specific and to add regional accent.

DIMENSIONS

D800 X H1000 X SH470-500

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish: ffully upholstered moulded foam.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56101522 / CONC-01-SLC / SL22C

NAME OF PRODUCT:
SPIRIT LOUNGE

PRODUCTAREA:
CONCENTRATION

ITEM DESCRIPTION/SPECIFICATION:
CONC-01-SLC–HIGH BACK LOUNGE SEATING

Fully upholstered moulded foam.
Design to be project specific and to add regional accent.
Seating heights to be appropriate for the selected activity function.

DIMENSIONS

D800 X H1000 X SH470-500

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Fabric details B1 range.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56101522 / AMENI-01-SLC / SL22C

NAME OF PRODUCT:
SPIRIT LOUNGE

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION: AMENI-01-SLC–FIRST AID ROOM & MOTHERS ROOM CHAIR

Fully upholstered moulded foam.
Design to be project specific and to add regional accent.

DIMENSIONS

D800 X H1000 X SH500

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Fully upholstered high back loungechair.
Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Fabric details B1 range.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56101522 / AMENI-01-SLC / SL22c/TLT

NAME OF PRODUCT:
SPIRIT

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-01-SLC–FIRST AID ROOM & MOTHERS CHAIR

Reclinable chair. Leather - pigmented grain-effect finish. 100 % corrected grain leather. 100,000 flexes. (BS EN ISO 5402 2002).
Fully upholstered moulded foam.
Design to be project specific and to add regional accent.

DIMENSIONS

D800 X H1000 X SH500

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Leather - pigmented grain-effect finish.100 % corrected grain leather.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	**%**
RecycledContent	15% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-SMC / STG3/FX/US/T

NAME OF PRODUCT:
STING

PRODUCT AREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SMC–MEETING CHAIR UPHOLSTERY 5 STAR CASTOR BASE CHAIR WITH ARMS

Upholstered seat pad
Seat shell in black/white/blue.
Sled base and metal frame
Linking bracket

DIMENSIONS

Back Height	440mm
Seat Height	465mm
Seat Depth	450mm
Overall Width	470mm
Weight	10.1Kg

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Material/finish:
Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below
Shell colours: white, blue or black.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	40% (estimated)
Recyclability Material Content	99% Plastic components >25g are labelled in accordance with ISO 11469
Information on Emissions	N/A
Accreditation for Product	BS EN 1335-1: 2000, BS 5259-2: 2000 & A2 2008, BS EN ISO 9241-5:1999, BS EN 13761:2000

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-SMC / STG3/FX/US/T

NAME OF PRODUCT:
STING

PRODUCT AREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SMC–MEETING CHAIR
UPHOLSTERY 5 STAR CASTOR BASE CHAIR
WITHOUT ARMS

Upholstered seat pad
Seat shell in black/white/blue
metal frame finish
5-star castor base

DIMENSIONS

Back Height	440mm
Seat Height	366-496mm
Seat aDepth	450mm
Overall Width	470mm
Weight	15 Kg

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below
Shell colours: white, blue or black.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	40% (estimated)
Recyclability Material Content	99% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	BS EN 1335-1: 2000, BS5259-2: 2000 & A2 2008, BS EN ISO9241-5:1999, BS EN 13761:2000

UNSPSC/PRODUCT CODE:
56101504 / CONC-01-SMC/SXC0202

NAME OF PRODUCT:
MOON

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION:
CONC-01-SMC–FULLY UPHOLSTERY CHAIR

Upholstered backrest and seat in fabric
Tilt for active dynamic seated posture with stop in working position;
Pneumatic regulation of the height;
Black plastic base;
Casters for soft or hard floors (ø 65 mm)

DIMENSIONS

Overall Height	780-910mm
Seat Depth	640mm
Overall Width	640mm
Weight	15 Kg

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	14% 9estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN 16139 : 2013, BSEN 16139 : 2003/AC:2013

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-SSC / BJORN 23

NAME OF PRODUCT:
BJORN

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SSC–SIDE CHAIR

Fully upholstered seat and back
with timber legs.
Seating heights to be appropriate for the
selected activity function.
Design to be project specific and to add
regional accent.

DIMENSIONS

Overall Height	880mm
Overall Depth	510mm
Overall Width	460mm
Seat Height	450mm
Weight	7.5 Kg

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
Manufacturer's fabric bands 3 or below.
C1 range fabric details.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	25% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101504 / LEARN-01-SSC / BJN21

NAME OF PRODUCT:
BJORN

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-SSC–INFORMAL MEETING CHAIR

Informal meeting fully upholstered armchair.
A1 Range
4 metal legs, nylon glides.
Arm height to be complementary with adjacent table height.

DIMENSIONS

Overall Height	900mm
Seat Height	450mm
Overall Depth	510mm
Back Width	380mm
Overall Width	460mm
Weight	6Kg

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Material/finish:
Fabric + 60,000 rub (Martindale).

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469.
Information onEmissions	N/A
Accreditation forProduct	BS EN 12520 : 2010

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-SSO / ACC-01-SSO / Various

NAME OF PRODUCT:
INTRO

PRODUCTAREA:
COLLABORATION & ACCESS

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-SSO – SOFT SEATING RANGE
ACC-01-SSO – UPHOLSTERED SOFT SEATING

Waiting area upholstered soft seatinggrouping. Seat foam to be converted polyurethane or manufactured nearestequivalent.

Seating heights to be appropriate for the selected activity function. Design to be project specific and to add regional accent.

DIMENSIONS

Dimensions depend upon configuration units chosen.

POWER OPTIONS

- Integrated flush power x 2 and 2x USB power

FABRIC/FINISHDETAILS

Material/finish:
Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
A1 range fabric.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	20% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	BS EN 15373 : 2007

UNSPSC/PRODUCT CODE:
56101504 / ACC-01-SSO / SRA101

NAME OF PRODUCT:
GIRO

PRODUCT AREA:
ACCESS

ITEM DESCRIPTION/SPECIFICATION:
ACC-01-SSO – POUFFE

POUF

Fully upholstered low stool.

- Round Stool
- Wooden Feet

DIMENSIONS

Overall Height	470mm
Seat Height	470mm
Seat Depth	440mm
Overall Depth	440mm
Overall Width	440mm
Weight	8.2Kg

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Our standard finish is beech frames covered with a clear lacquer representing Light Oak. This finish should not be considered a match to any Light Oak product.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	10% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 :2011, BS 5852-1 : 1979, BS 5852: 2006 – Clause 12

UNSPSC/PRODUCT CODE:
56112106 / ACC-01-SSO / NA-11

NAME OF PRODUCT:
NATTA

PRODUCT AREA:
ACCESS

ITEM DESCRIPTION/SPECIFICATION:
ACC-01-SSO – LOW LOUNGE STOOL

LOUNGE LOW STOOL

Fully upholstered low stool with timber leg.

- Upholstered Stool Seat
- Walnut Finish

DIMENSIONS

Overall Height	490mm
Seat Height	490mm
Seat Depth	500mm
Overall Depth	540mm
Overall Width	540mm
Weight	14Kg

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Material/finish:
Fully upholstered

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	5% (estimated)
Recyclability Material Content	90% Plastic components >25g are labelled in accordance with ISO 11469
Information on Emissions	N/A
Accreditation for Product	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS 5852-1 : 1979, BS 5852 : 2006 – Clause 12

UNSPSC/PRODUCT CODE:
56112106 / ACC-01-SSO / SRA100

NAME OF PRODUCT:
GIRO

PRODUCT AREA:
ACCESS

ITEM DESCRIPTION/SPECIFICATION:
ACC-01-SSO – LOW STOOL

Fully upholstered low stool with castors

DIMENSIONS

DIA480 X H400-500

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
Fully upholstered

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	10% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 :2011, BS 5852-1 : 1979, BS 5852: 2006 – Clause 12

UNSPSC/PRODUCT CODE:
56101719 / COLAB-01-TCE

NAME OF PRODUCT:
TWIG

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-TCE – INFORMAL MEETING SIDE TABLE

Top mat'l/finish: manufacturer standard white base material or timber. Base mat'l/finish: metal. Height: adjustable. Off centred top from base to allow laptop use with soft seating.
Standard product dimensions

DIMENSIONS

Overall Height	700mm
Overall Depth	500mm
Overall Width	450mm
Weight	Kg

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Top mat'l/finish: manufacturer standard white base material or timber. Base mat'l/finish: metal.

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	19% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

UNSPSC/PRODUCT CODE:
56101706 / COLAB-01-TFT

NAME OF PRODUCT:
TIPO

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-TFT – MEETING TABLE
COLAB-01-TFT – MEETING ROOM FOLDABLE TABLE

DIMENSIONS **PRICE**

Top mat'l/finish: manufacturer standard white
base mat'l/finish: inset metallegs.
Table sizes to be confirmed with project program requirements.
Worktop: 25mm thickness MFC tables with impact resistant 2mm ABS profiled Edges
Tilt top tables can be swivelled upwards into a vertical position with one easy hand operation
Silver frame

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	19% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

POWER OPTIONS

For tables with a 1400, 1600 and 1800mm width, please use allow for the following:
NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 1 USB PORTS (PER CUBBY) = 2
POWER PLUG POINTS (PER CUBBY) = 2

For tables with a 2000mm width, please allow for the following:
NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 2 USB PORTS (PER CUBBY) = 2
POWER PLUG POINTS (PER CUBBY) = 2

FABRIC/FINISHDETAILS

Material/finish:
White standard white base material or timber.

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNSPSC/PRODUCT CODE:
56101706N / COLAB-01-TFT

NAME OF PRODUCT:
TIPO

PRODUCT AREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
FOLDABLE MOBILE TABLE
MEETING ROOM FOLDABLE TABLE

DIMENSIONS

PRICE

Top mat'l/finish: manufacturer standard white base mat'l/finish: inset metallegs.
Table sizes to be confirmed with project program requirements.
Worktop: 25mm thickness MFC tables with impact resistant 2mm ABS profiled Edges
Tilt top tables can be swivelled upwards into a vertical position with one easy hand operation
Silver frame

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	19% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

POWER OPTIONS

For tables with a 1400, 1600 and 1800mm width, please use allow for the following:
NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 1 USB PORTS (PER CUBBY) = 2
POWER PLUG POINTS (PER CUBBY) = 2

For tables with a 2000mm width, please allow for the following:
NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 2 USB PORTS (PER CUBBY) = 2
POWER PLUG POINTS (PER CUBBY) = 2

FABRIC/FINISHDETAILS

Material/finish:
standard white base material or timber.

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNSPSC/PRODUCT CODE:
56101706 / LEARN-01-TFT

NAME OF PRODUCT:
TIPO

PRODUCT AREA
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-TFT – FOLDABLE MOBILE TABLE

DIMENSIONS

PRICE

Top mat'l/finish: manufacturer standard white base mat'l/finish: inset metallegs.
Table sizes to be confirmed with project program requirements.
Worktop: 25mm thickness MFC tables with impact resistant 2mm ABS profiled Edges
Tilt top tables can be swivelled upwards into a vertical position with one easy hand operation
Silver frame

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	19% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
standard white base material or timber.

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNSPSC/PRODUCT CODE:
56101706 / LEARN-01-TFT

NAME OF PRODUCT:
TIPO

PRODUCT AREA
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-TFT
MEETING TABLE
FOLDABLE MOBILE TABLE

DIMENSIONS

PRICE

Top mat'l/finish: manufacturer standard white base mat'l/finish: inset metallegs.
Table sizes to be confirmed with project program requirements.
Worktop: 25mm thickness MFC tables with impact resistant 2mm ABS profiled Edges
Tilt top tables can be swivelled upwards into a vertical position with one easy hand operation
Silver frame

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	19% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

POWER OPTIONS

For tables with a 1400, 1600 and 1800mm width, please use allow for the following:
NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 1 USB PORTS (PER CUBBY) = 2
POWER PLUG POINTS (PER CUBBY) = 2

For tables with a 2000mm width, please allow for the following:
NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 2 USB PORTS (PER CUBBY) = 2
POWER PLUG POINTS (PER CUBBY) = 2

FABRIC/FINISHDETAILS

Material/finish:
standard white base material or timber.

MFC worktop finishes; Beech, maple, white, oak, cherry, zebrano and hacienda black.
Leg finish; silver or white

UNSPSC/PRODUCT CODE:
56101706 / COLAB-01-TIM

NAME OF PRODUCT:
VEPA

PRODUCT AREA:
COLLABORATION

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	24% (estimated)
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-TIM – RECTANGLE MEETING TABLE

DIMENSIONS

PRICE

Table top veneer light oak, aluminium polished base.
Hard wood edging.
Base mat'l/finish: metal legs.
Hardware style: black castors
Foldable (option).
Power access, project specific

POWER OPTIONS

SIZE	NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED	USB PORTS (PER CUBBY)	POWER PLUG POINTS (PER CUBBY)
6 PERSON	2	3	2
8 PERSON	4	2	2
10 PERSON	4	2	2
14 PERSON	4	3	2

FABRIC/FINISH DETAILS

COLAB-01-TIM – RECTANGLE MEETING TABLE
BASE MATERIAL OR TIMBER TOP OPTION
Top mat'l/finish: white base material or timber.
Base mat'l/finish: metal legs.
VENEER OPTION:
Table top veneer light oak, aluminium polished base.
Hardwood edging

UNSPSC/PRODUCT CODE:
56101504 / COLAB-02-SMC / SIA124

NAME OF PRODUCT:
GAMA

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-02-SMC – CANTILEVER MEETING CHAIR

Upholstered seat with full mesh back.
C1 Range
Fully upholstered, moulded foam seat cushion.
Design to be project specific and to add regional accent.
Seating heights to be appropriate for the selected activity function.

DIMENSIONS

SH500 max

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
C1 Range

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	10% (estimated)
Recyclability Material Content	95%
Information onEmissions	N/A
Accreditation forProduct	Manufactued to BS EN 16139 : 2013, BSEN 16139 : 2003/AC:2013

UNSPSC/PRODUCT CODE:
56101504 / COLAB-02-SM / SIA124

NAME OF PRODUCT:
GAMA

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-02-SMC – CANTILEVER MEETING CHAIR, STACKABLE

Upholstered seat with full mesh back.
C1 Range
Fully upholstered, moulded foam seat cushion.
Design to be project specific and to add regional accent.
Seating heights to be appropriate for the selected activity function.
Chair must be stackable.

DIMENSIONS

SH500 max

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
C1 Range

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	10% (estimated)
Recyclability Material Content	95%
Information onEmissions	N/A
Accreditation forProduct	Manufactued to BS EN 16139 : 2013, BSEN 16139 : 2003/AC:2013

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-TWD / FN24M

NAME OF PRODUCT:
ENCORE

PRODUCTAREA:
COLLABORATION

ITEM DESCRIPTION/SPECIFICATION:
COLAB-01-TWD – MEETING BOOTH: OPEN MEETING AREA UPHOLSTERED BOOTH WITH INTEGRATED TABLE (4 Person)

Top mat'l finish: white base material integrated table.
Base mat'l/finish: metal legs.
Upholstered seat in C1 range fabric.
Size and configuration to be coordinated per program requirements.
Provide power per program requirements.
Metal legs

DIMENSIONS

Overall Height	1440mm
Seat Height	430mm
Seat Depth	600mm
Overall Depth	2430mm
Overall Width	1620mm

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	5% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469.
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 :2011, BS 5852-1 : 1979, BS 5852: 2006 – Clause 12

POWER OPTIONS

NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED = 1
USB PORTS (PER CUBBY) = 4
POWER PLUG POINTS (PER CUBBY) = 2

FABRIC/FINISHDETAILS

Top mat'l finish: white base material integrated table.
Base mat'l/finish: metal legs.
Upholstered seat in C1 range fabric..

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101504 / COLAB-01-TWD / ALBAN02-HIGH

NAME OF PRODUCT:
ALBAN HIGH

PRODUCTAREA:
COLLABORATION

ITEMDESCRIPTION/SPECIFICATION:
COLAB-01-TWD – MEETING BOOTH:
2P-POD HIGH BACK

Top mat'l finish: white base material integrated table.

Base mat'l/finish: metal legs. Upholstered seat in C1 range fabric.

Size and configuration to be coordinated per program requirements.

Provide power per program requirements.
Metal legs

DIMENSIONS

Overall Height	1250mm
Seat Height	430mm
Overall Depth	985mm
Overall Width	2400mm

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	5% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469.
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 :2011, BS 5852-1 : 1979, BS 5852: 2006 – Clause 12

POWER OPTIONS

Power provided per programme requirements

FABRIC/FINISHDETAILS

Fully Upholstered in manufacturers Band A

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101519 / LEARN-01-TCE/PPØ7

NAME OF PRODUCT:
PARIS

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-TCE – ROUND COFFEE TABLE
LEARN-01-TCE – SQUARE COFFEE TABLE

Timber top and wire frame base
Low coffee table.

DIMENSIONS

350 X 350 X H400-500

450 X 450 X H400-500

DIA600 X H400-500

DIA1000 X H400-500

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Material/finish:
White base material or timber finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	9% (estimated)
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	Manufactured to BS EN 15372 : 2016

UNSPSC/PRODUCT CODE:
56101519 / LEARN-01-TCE/PPØ7

NAME OF PRODUCT:
PARIS

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-TCE – ROUND COFFEE TABLE
LEARN-01-TCE – SQUARE COFFEE TABLE

Timber top and wire frame base – finishes can be natural or painted.
Low coffee table.

DIMENSIONS

350 X 350 X H400-500

450 X 450 X H400-500

DIA600 X H400-500

DIA1000 X H400-500

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
White base material or timber finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	9% (estimated)
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	Manufactured to BS EN 15372 : 2016

UNSPSC/PRODUCT CODE:
56111500 / COLAB-02-TIM

NAME OF PRODUCT:

PRODUCTAREA:
COLLABORATION

BESPOKE NO IMAGE AVAILABLE

ITEM DESCRIPTION/SPECIFICATION:
COLAB-02-TIM – MEDIA UNIT

White or timber effect HPL top and metal base.
Overall size and configuration to be determined by project program requirements.
Informal meeting grouping with media component and height adjustabletable.
6 People

DIMENSIONS

W3500 X D1600 (8-10 people)
Table height:735mm (for Normal chair height)

W2800 X D1200 (6 people)
Table height: 1250mm (for Standing height)
Overall panel height 1800mm maximum for both media units.
Dimensions provided are for the table area only. They do not allow for the inclusion of any seating

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Material/finish:
white base material or timber finish.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56112100 / CONC-01-SSO

NAME OF PRODUCT:
GEORGIA

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION:
CONC-01-SSO
FULLY UPHOLSTERED HIGH BACK ACOUSTIC SEATING RIGHT HAND TABLET ARM

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Fabric details B1 range.
Winged arm with acoustic foam and tablet arm for work use on the right hand side.
Design to be project specific and to add regional accent.
Seating heights to be appropriate for the selected activity function.

DIMENSIONS

Length	1100mm
Depth	840mm
Height	1400mm
Seat Height	450mm

POWER OPTIONS

- Without power module
- Integrated power module to have 1x power plug and 2x usb power

FABRIC/FINISH DETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	5% (estimated)
Recyclability Material Content	90%
Information on Emissions	N/A
Accreditation for Product	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56112100 / CONC-02-SSO

NAME OF PRODUCT:
DIXI

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION:
CONC-02-SSO
1P-POD WITH 360 DEGREE SWIVEL

High back tub chair fully upholstered with headrest and swivel base.

DIMENSIONS

Width	830mm
Depth	770mm
Height	1200mm
Seat Height	440mm

POWER OPTIONS

- N/A

FABRIC/FINISH DETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	5% (estimated)
Recyclability Material Content	90%
Information on Emissions	N/A
Accreditation for Product	Manufactured to: BS EN 16139 : 2013, BS 7167 :2007 +1 A1 : 2011, BS5852-1 : 1979, BS 5852 : 2006 – Clause12

UNSPSC/PRODUCT CODE:
56101706 / CONC-01-TWB

NAME OF PRODUCT:
STREAM 2

PRODUCT AREA:
CONCENTRATE

ITEM DESCRIPTION/SPECIFICATION:
CONC-01-TWB
TOUCHDOWN DESK WITH ACOUSTIC DIVIDERS

DIMENSIONS

PRICE

Frame to coordinate with sit-stand desk.
Desks to allow integration with monitor arms (refer to CORE-01-MS).
Desk to be integrated with acoustic and privacy divider screens.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	30%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

POWER OPTIONS

1x Power plug + 1x USB per position

FABRIC/FINISH DETAILS

Top mat'l/finish: white
Base mat'l/finish: powder coated white/anthracite/black manufacture standard finish.

UNSPSC/PRODUCT CODE:
44111515 / LEARN-01-RMC

NAME OF PRODUCT:
MFC STORAGE

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-RMC
LIBRARY BOOKSHELVES

All storage to be at a maximum height of 1800mm where required in open plan office areas. All storage units should be within the same design range.
Price for Plain shelves.
Shelves to allow for internal components within the storage units (to be requested at Call-Off if required). These include but are not limited to: combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers and recycling bins.

DIMENSIONS

W1000 X D500 X H1800

W2000 X D500 X H1800

W3000 X D500 X H1800

W3800 X D500 X H1800

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

White HPL or timberfinish.
.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	98%
Information onEmissions	N/A
Accreditation forProduct	Manufactured to: BS EN 14073-2 : 2004, BS EN 14073-3 : 2004, BS EN 14074 : 2004, BS4875-7 : 2006

UNSPSC/PRODUCT CODE:
48102001 / LEARN-01-SOT/ TND01

NAME OF PRODUCT:
TANDEM

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-SOT
UPHOLSTERED FLEXIBLE SOFT SEATING

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstery A1 range.
Design to be project specific and to add regional accent.
Seating heights to be appropriate for the selected activity function.

DIMENSIONS

Overall Height	450mm
Seat Height	450mm
Seat Depth	430mm
Overall Depth	430mm
Overall Width	1230mm
Weight	18.7Kg

POWER OPTIONS

- Without Power Module
- Integrated flush project specific power modules and each power module to have 1x power plug and 2x usb power

FABRIC/FINISHDETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstery A1 range.
Base Finish: Silver (RAL9006)

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	25% (estimated)
Recyclability Material Content	98% Plastic components >25g are labelled in accordance with ISO 11469.
Information onEmissions	N/A
Accreditation forProduct	FSC® Certified Plywood

UNSPSC/PRODUCT CODE:
56112100 / LEARN-01-STC / TRIKE-T-PAD

NAME OF PRODUCT:
TRIKE

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-STC
MOBILE TRAINING CHAIR - FULLY UPHOLSTERED CHAIR WITH WRITING TABLET TABLE

Manufacturer's fabric bands 3 or below.
Fabric details: upholstery A1 range.
Upholstered seat pad, standard metal/powder coated legs.
Basis of design to incorporate tablet table and open storage shelf below.

DIMENSIONS

SH430

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Manufacturer's fabric bands 3 or below.
Fabric details: upholstery A1 range.
Upholstered seat pad, standard metal/powder coated legs.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	6%
Recyclability Material Content	60%
Information onEmissions	N/A
Accreditation forProduct	Manufactued to BS EN 16139 : 2013, BSEN 16139 : 2003/AC:2013

UNSPSC/PRODUCT CODE:
56101504 / LEARN-01-STK / STG1/FG

NAME OF PRODUCT:
STING

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-01-STK
FULLY UPHOLSTERED STACKING CHAIR WITH METAL BASE

Upholstered seat and back
Seat shell in black/white/blue.
Sled base and metal frame
Linking bracket

DIMENSIONS

Back Height	440mm
Seat Height	465mm
Seat Depth	450mm
Overall Width	470mm
Weight	10.1Kg

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	40% (estimated)
Recyclability Material Content	99% Plastic components >25g are labelled in accordance with ISO 11469.
Information on Emissions	N/A
Accreditation for Product	BS EN 1335-1: 2000 BS 5259-2: 2000 & A2 2008, BS EN ISO 9241-5:1999, BS EN 13761: 2000

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstery A1 range.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101706 / LEARN-02-TWD

NAME OF PRODUCT:
PANEL END

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-02-TWD
WORK TABLE

Rectangle / square meeting table. Height 720mm
Top mat'l/finish: manufacturer standard white base material or timber.
Base mat'l/finish: Table legs to be in same material as table top.
Protective edge banding and concealed cable management.
Table size to be determined by project program requirements.

DIMENSIONS

ENVIRONMENTAL/ACCREDITATION DATA	%
Recycled Content	24% (estimated)
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	BS EN ISO 9241-5:1999, BS EN 527- 1: 2011, BS EN 527- 2:2016 BS EN 527- 3:2003, BS EN 15185: 2011, BS 6396:2008 + A1:2015

POWER OPTIONS

SIZE	NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED	USB PORTS (PER CUBBY)	POWER PLUG POINTS (PER CUBBY)
6 PERSON	2	3	2
8 PERSON	4	2	2
10 PERSON	4	2	2
12 PERSON	4	3	2

FABRIC/FINISH DETAILS

Top mat'l/finish: manufacturer standard white base material or timber. Base mat'l/finish: Table legs to be in same material as table top.

UNSPSC/PRODUCT CODE:
56112100 / LEARN-03-TWD / WB1

NAME OF PRODUCT:
NAUTILUS

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-03-TWD
ACOUSTIC WORK BOOTH WITH INTEGRATED WORKING HEIGHT DESK FOR SINGLE OCCUPANT LEFT HAND SIDE OPENING

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstered seat in B1 rangefabric.
Finish: integrated table in white base material or timber.
Base mat'l/finish: metallegs.
Fully enclosed with accessible entrance, opening on your left hand side.

DIMENSIONS

1400H x 1700W x 1200D

POWER OPTIONS

Desktop power module (1x power plug, 2x usb power with fast charge). White socket and casing. Vertical cable management solution.

FABRIC/FINISHDETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstered seat in B1 rangefabric.
Finish: integrated table in white base material or timber.
Base mat'l/finish: metal legs.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	14%
Recyclability Material Content	85%
Information onEmissions	N/A
Accreditation forProduct	BSEN1023 part 1, 2 &3

UNSPSC/PRODUCT CODE:
56112100 / LEARN-03-TWD / WB1

NAME OF PRODUCT:
NAUTILUS

PRODUCT AREA:
LEARN

ITEM DESCRIPTION/SPECIFICATION:
LEARN-03-TWD
ACOUSTIC WORK BOOTH WITH INTEGRATED WORKING HEIGHT DESK FOR SINGLE OCCUPANT RIGHT HAND SIDE OPENING

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstered seat in B1 rangefabric.
Finish: integrated table in white base material or timber.
Base mat'l/finish: metallegs.
Fully enclosed with accessible entrance, opening on your left hand side.

DIMENSIONS

1400H x 1700W x 1200D

POWER OPTIONS

Desktop power module (1x power plug, 2x usb power with fast charge). White socket and casing. Vertical cable management solution.

UNIT PRICE

FABRIC/FINISHDETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstered seat in B1 rangefabric.
Finish: integrated table in white high pressure white base materialor timber.
Base mat'l/finish: metal legs.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	14%
Recyclability Material Content	85%
Information onEmissions	N/A
Accreditation forProduct	BSEN1023 part 1, 2 &3

UNSPSC/PRODUCT CODE:
48102005 / AMENI-01-SHC / TR4

NAME OF PRODUCT:
TRYO

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-01-SHC
INFORMAL MEETING HIGH STOOL: PLASTIC

Seat: plastic
Base: metal legs.
Steel rod frame to be polished or the nearest metal finish available.
Incorporate glides at chair base.

DIMENSIONS

Seat Height	650mm
Seat Width	440mm
Back Height	410mm
Overall Width	530mm
Seat Depth	430mm
Depth	540mm

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Seat: plastic
Base: metallegs

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	5% (estimated)
Recyclability Material Content	100% recyclable
Information onEmissions	N/A
Accreditation forProduct	EN 15373:2007

UNSPSC/PRODUCT CODE:
48102005 / AMENI-01-SHC / TR42

NAME OF PRODUCT:
TRYO

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-01-SHC
INFORMAL MEETING HIGH STOOL:
UPHOLSTERED

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Seat: Upholstery in C1-range colours.
Upholstered seat and back.
Incorporate glides at chair base.

DIMENSIONS

Seat Height	760mm
Seat Width	440mm
Back Height	410mm
Overall Width	530mm
Seat Depth	430mm
Depth	540mm

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Seat: Upholstery in C1-range colours

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	5% (estimated)
Recyclability Material Content	100% recyclable
Information on Emissions	N/A
Accreditation for Product	EN 15373:2007

UNSPSC/PRODUCT CODE:
56101543 / AMENI-01-TIM / STA16

NAME OF PRODUCT:
SLAB

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-01-TIM
EATERY SPACE LONG BENCH AND TABLE

Top mat'l/finish: timber.
Base mat'l/finish: timber.
Protective finish on timber, for ease of care and wipeability.
Long bench and table.
Table and bench in the same product range.

DIMENSIONS

Table: W1500 X D800 X H720
Bench height 470

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Top mat'l/finish: timber.
Base mat'l/finish: timber.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	15%
Recyclability Material Content	100%
Information onEmissions	N/A
Accreditation forProduct	BS EN ISO 2409 : 2013, BS EN ISO 9001: 2015, BS EN ISO 14001 : 2015

UNSPSC/PRODUCT CODE:
56101900 / AMENI-01-SSO

NAME OF PRODUCT:
BARCELONA DAY BED

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-01-SSO
DAY BED

BARCELONA DAY BED
LUDWIG MIES VAN DER ROHE STYLE
Available in either Faux Leather and fabric upholstery
High quality reproduction in the style of the Barcelona Daybed
Originally designed by Ludwig Mies van der Rohe
.

DIMENSIONS

W1000 X D1960 X H420

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Fabric + 60,000 rub (Martindale).
Manufacturer's fabric bands 3 or below.
Upholstery A1 range.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	25%
Recyclability Material Content	85%
Information onEmissions	N/A
Accreditation forProduct	BS3379/BS5852; Fire Safety Regulations S11324,1989

UNSPSC/PRODUCT CODE:
48102001 / AMENI-01-STK / ZA.476C

NAME OF PRODUCT:
ICON

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-01-STK
CAFÉ / BISTRO CHAIR

Eatery space dining stackable chairs.
Seat: Plastic in C1-range colours or timber.
Base: Metal legs.
Steel rod frame to be polished or the nearest metal finish available.
Incorporate glides at chair base.
Stackable, with capacity of at least 20 chairs on trolley.

DIMENSIONS

Overall Height	800mm
Seat Height	440mm
Seat Depth	500mm
Overall Depth	530mm
Overall Width	440mm
Weight	3.08kg

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	35%
Recyclability Material Content	95%
Information onEmissions	N/A
Accreditation forProduct	BS EN 16139 : 2013

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Seat: Plastic in C1-range colours or timber.
Base: Metal legs.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101530 / AMENI-02-RMC

NAME OF PRODUCT:
MFC STORAGE

PRODUCT AREA:
AMENITY
:

ITEM DESCRIPTION/SPECIFICATION:
AMENI-02-RMC
LOW STORAGE FOR EQUIPMENT

Manufacturer standard white base material cabinet.
Project specific, top to incorporate water/scratch resistant finish.
Price for Plain shelves.
Storage to allow for internal components within the units (to be requested at Call-Off if required). These include but are not limited to: combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers and recycling bin.

DIMENSIONS

W500-800 X D400-600 X H800

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Manufacturer standard white base material cabinet.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	24%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	Manufactured to: BS EN 14073-2 : 2004, BS EN 14073-3 : 2004, BS EN 14074 : 2004, BS4875-7 : 2006

UNSPSC/PRODUCT CODE:
56101543 / AMENI-02-TCA/FKM 08

NAME OF PRODUCT:
FLICK

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-02-TCA
ROUND CAFÉ TABLE

Top mat'l/finish: manufacturer standard white base material or timber.
Base mat'l/finish: powder coated/metallic 4 star base.
Dimensions: top thickness 25mm.
Protective edgebanding.
Edge detail is knife edge.

NB. Image shown with Aluminium Top, Price Shown For laminated MDF.

DIMENSIONS

DIA 800 X H730

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Top mat'l/finish: manufacturer standard white base material or timber. Base mat'l/finish: powder coated/metallic 4 star base.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information onEmissions	N/A
Accreditation forProduct	BS EN 15372 : 2016

UNSPSC/PRODUCT CODE:
56101543 / AMENI-02-TCA/FKM S77

NAME OF PRODUCT:
FLICK

PRODUCT AREA:
AMENITY

ITEM DESCRIPTION/SPECIFICATION:
AMENI-02-TCA
SQUARE CAFÉ TABLE

Top mat'l/finish: manufacturer standard white base material or timber.
Base mat'l/finish: powder coated/metallic 4 star base.
Dimensions: top thickness 25mm.
Protective edgebanding.
Edge detail is knife edge

NB. Image shown with Aluminium Top, Price Shown For laminated MDF..

DIMENSIONS

W700 X D700 X H730

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Top mat'l/finish: manufacturer standard white base material or timber. Base mat'l/finish: powder coated/metallic 4 star base.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information onEmissions	N/A
Accreditation forProduct	BS EN 15372 : 2016

UNSPSC/PRODUCT CODE:
56101520 / ACC-02-RLK /MLC165HD3DR/4DIGC/SP

NAME OF PRODUCT:
METRIX

PRODUCT AREA:
ACCESS

ITEM DESCRIPTION/SPECIFICATION:
ACC-02-RLK
RECEPTIONIST'S / VISITOR LOCKER

All locker carcasses to be in finishedmanufacturer standard powder coated steel or white base material in standard range colour. With 2 double height swing door.
Doors to receive recessed handles and to be a mix of A1 colour range for a visualbreak-up.
With 3 individual lockers with 1 drawer at lower level OR two double height swing door.
Lockers to be located in built-in niches where possible. Individual compartments to be lockable, digital system with master key only.
Verify project specific program requirements for final locker sizes andconfiguration.
Doors to be capable of receiving applied permanent, graphiclabelling.

DIMENSIONS

W400 X D500 X H400
Maximum 1800mm high.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	98%
Information onEmissions	CO2 per 1 unit – 0.0377
Accreditation forProduct	BS 1449 Part 1 : 1983, BSEN 14073-2 : 2004, BS EN 14074: 2004, BS 4875-8 : 1998,BS 4875-7 Level 4 : 2006, BS EN 14073-3 :2004

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

All locker carcasses to be in finished manufacturer standard powder coatedsteel or white base material in standard range colour

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101706 / ACC-01-TIM

NAME OF PRODUCT:
SPIN

PRODUCT AREA:
ACCESS

ITEM DESCRIPTION/SPECIFICATION:
ACC-01-TIM
SQUARE BANQUETTE TABLE

Top Mat'l/Finish: white base material or timber.
Base Mat'l/Finish: Metal pedestal base.
Interview rooms rectangular meeting table.
Base to be fixed to the floor.
Edge detail is knife edge.

DIMENSIONS

W700 X D700 X H720 (2 Person)

W1200 X D700 X H720 (4 Person)

POWER OPTIONS

SIZE	NUMBER OF POWER/DATA DOORS/CUBBY REQUIRED	USB PORTS (PER CUBBY)	POWER PLUG POINTS (PER CUBBY)
2 PERSON	N/A	N/A	N/A
4 PERSON	1	4	2

FABRIC/FINISH DETAILS

Top Mat'l/Finish: White base material or timber.
Base Mat'l/Finish: Metal pedestal base.

ENVIRONMENTAL/ACCREDITATION DATA	%
Recycled Content	9% (estimated)
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	Manufactured to BS EN 15372 : 2016

UNIT PRICE

SECTION B1 – SUNDRY ITEMS, LOOSE

UNSPSC/PRODUCT CODE:
56101900 / SUNL-01 / OS79166

NAME OF PRODUCT:
DEFLECTO

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-01
LECTERN

Transparent Free standing Lectern. Ideal for presentations and public speaking, or for displaying catalogues and brochures
Sturdy aluminium frame
Glass effect acrylic top
Freestanding on a circularbase.

DIMENSIONS

W242 x D150 x H480mm.

POWER OPTIONS

FABRIC/FINISHDETAILS

Aluminum/Acrylic

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	
Recyclability Material Content	
Information onEmissions	
Accreditation forProduct	

UNSPSC/PRODUCT CODE:
56101900 / SUNL-02 / OSFL0008L

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-02
FLIP CHART

Easel very stable – Clever 3-leg design which cannot accidentally fold in once whiteboard fixed to easel with handwheel
Easily stored – The legs fold flat once whiteboard removed
Extendable legs
Whiteboard has smudge free aluminium frame
The easel is powder coated grey and the leg extensions are plated
Integral pentray
Includes all fixings and instructions

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Brushed metal frame or powder coated metal frame.
..

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	
Recyclability Material Content	
Information onEmissions	
Accreditation forProduct	

UNSPSC/PRODUCT CODE:
56101900 / SUNL-03

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION
SUNL-03
MEDICAL BED

Fabric details: A1 range.
Seating heights to be appropriate for the selected activity function.
Seat foam to be converted polyurethane or manufactured nearest equivalent.
Design to be project specific and to add regional accent.

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Fabric details: A1 range.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	25%
Recyclability Material Content	85%
Information on Emissions	N/A
Accreditation for Product	BS3379/BS5852; Fire Safety Regulations S11324,1989

UNSPSC/PRODUCT CODE:
56101900 / SUNL-04

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-04
CUSHION

Cushion with removable cushion cover and stain resistant machine washable fabric.

DIMENSIONS

W600mm X H400mm

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

stain resistant machine washable fabric.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	0%
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101543 / SUNL-05/ ZA.258CT

NAME OF PRODUCT:
ICE

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-05
OUTDOOR TABLE

Heavy use commercial grade outdoor table.
Timber top with powder coated black base.
Fast Delivery
Suitable for outdoor use
Very hardwearing
Contract Quality
Wgt: 25kg

DIMENSIONS

Dimensions
W750 X D750 X H730
W1200 X D750 X H730
W600 X D600 X H1100
W1200 X D600 X H1100

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Timber top with powder coated black base.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA	%
RecycledContent	
Recyclability Material Content	
Information onEmissions	
Accreditation forProduct	FSC Certified

UNSPSC/PRODUCT CODE:
48102001 / SUNL-06/ZA.259B

NAME OF PRODUCT:
ICE

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-06
OUTDOOR BENCH SEAT

Heavy use commercial grade banquetteseating
Timber top with powder coated black base
Fast Delivery
Suitable for outdooruse
Very Hardwearing
Contract Quality
Wgt: 15kg

DIMENSIONS

W350 X D350 X H450
W1100 X D450 X H450

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Timber topwith powder coated
black base

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	
Recyclability Material Content	
Information onEmissions	
Accreditation forProduct	FSC Certified

UNSPSC/PRODUCT CODE:
48102001 / SUNL-07 / ZA476C

NAME OF PRODUCT:
ICON

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-07
OUTDOOR CHAIR

Heavy use commercial grade outdoor chair.
Plastic seat.
Powder coated metal base/legs
Wgt: 5.2kg

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Plastic seat. Powder coated metal base with or without legs.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	5% (estimated)
Recyclability Material Content	60%
Information on Emissions	N/A
Accreditation for Product	BS EN 16139 : 2013

UNSPSC/PRODUCT CODE:
56101519 / SUNL-08 / 5453_H480

NAME OF PRODUCT:
NOLITA

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-08
OUTDOOR COFFEE TABLE

Heavy use commercial grade outdoortable
Powder coated metal top.
Powder coated metal pedestal base.
Wgt: 25kg

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Powder coated metal pedestal base.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	95%
Information onEmissions	N/A
Accreditation forProduct	BS EN 15372 : 2016

UNSPSC/PRODUCT CODE:
56101522 / SUNL-09 / ZA370C

NAME OF PRODUCT:
PEAK

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-09
OUTDOOR ARM CHAIR

Heavy use commercial grade outdoor chair.
Plastic frame or powder coated metal frame/legs
Wgt: 5.2kg

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Plastic frame or powder coated metal frame/legs

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	5% (estimated)
Recyclability Material Content	60%
Information onEmissions	N/A
Accreditation forProduct	BS EN 16139 : 2013

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101533 / SUNL-10 / OS56152

NAME OF PRODUCT:
KENSINGTON

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-10
FOOT REST

Ergonomically designed foot rest
Two tilt options for personalised comfort
(10 and 15 degrees)
Contoured foot grip panel helps prevent slipping
Dual height adjustment.

DIMENSIONS

Platform size: 450x350mm

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Colour: Grey

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	
Recyclability Material Content	
Information on Emissions	
Accreditation for Product	

UNSPSC/PRODUCT CODE:
56101900 / SUNL-11

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

BESPOKE NO IMAGE AVAILABLE

ITEM DESCRIPTION/SPECIFICATION:
SUNL-11
RUG

Hard wearing rug for commercial office use.
Stain resistant material (synthetic or natural).
Dense loop pile.

DIMENSIONS

DIA2000
DIA3000
DIA4000

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Stain resistant material (synthetic or natural)

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNIT PRICE

UNSC/PRODUCT CODE:
44111515 /SUNL-12

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

BESPOKE NO IMAGE AVAILABLE

ITEM DESCRIPTION/SPECIFICATION:
SUNL-12
POST ROOM RACKS

As per project requirement: generically, pigeon holes, work surface/hanging with A3 size dividers in metal mesh on steel structure.
Variable height to accommodate parcels.
Wire baskets to accommodate large parcels.
To accommodate min A3.
White frame and white shelves.

DIMENSIONS

Specification is site specific.
For costing exercise purpose, use dims:
L-shape 3000 x 1500 x D600.

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

White frame and white shelves.

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNIT PRICE

UNSPSC/PRODUCT CODE:
44111515 / SUNL-13

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

BESPOKE NO IMAGE AVAILABLE

ITEM DESCRIPTION/SPECIFICATION:
SUNL-13
SECURITY ROOM RACKS

As per project requirement: fixed to loadbearing wall with suitable anchors.
Load bearing minimum 30kg/linear m.
Galvanized metal frame with ply shelves

DIMENSIONS

Generically, wall fixed stainless steel mesh shelves, 300mm deep, including brackets every 600mm,

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Galvanized metal frame withply shelves.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	85%
Recyclability Material Content	65%
Information onEmissions	N/A
Accreditation forProduct	Manufactured to meet BS EN 14073-2 : 2004, BS EN 14073-3 : 2004, BS EN 14074 : 2004,BS 4875-7 : 2006

UNSPSC/PRODUCT CODE:
44111515 / SUNL-14

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

BESPOKE NO IMAGE AVAILABLE

ITEM DESCRIPTION/SPECIFICATION:
SUNL-14
STORAGE RACKING

Galvanized metal frame with ply shelves.

DIMENSIONS

W1000 X D500 X H1800
W1000 X D500 X H2100
W800 X D500 X H1800
W800 X D500 X H2100

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Galvanized metal frame withply shelves.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	85%
Recyclability Material Content	65%
Information onEmissions	N/A
Accreditation forProduct	Manufactured to meet BS EN 14073-2 : 2004, BS EN 14073-3 : 2004, BS EN 14074 : 2004,BS 4875-7 : 2006

UNSPSC/PRODUCT CODE:
56101900 / SUNL-15 /OS9301X

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-15
EQUIPMENT TROLLEY

A compact industrial trolley with raised sides running on 4 castors with rubber tyres of 125mm diameter.
Capacity (kg): 200.
Castors/wheels (mm): 125 roller bearing, rubber tyre, all swivel.
No. Of shelves: 2
Powder coated blue frame
Tray: 765mm x 460mm
Overall Dims: W865mm x D840mm

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Standard black metal finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-16 / OS51397

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-16
CHAIR TROLLEY

Stacking Chair Trolley.
The length of the platform is 47cm
Ideal for moving most stacking chairs
Pick up and move and deposit safely.
Black epoxy coated steel
Rubberised wheels. Supplied fully assembled
450mm wide, 800mm deep, 1330mm length,
Narrowest at the leadingedge 25cm
Widest at the back of the trolley 32cm.
This purpose-designed chair trolley can move stacks of chairs up to 10 units high.

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Standard black metal finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-17 /164480

NAME OF PRODUCT:
SAUNDERS

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-17
UMBRELLA STAND

Open umbrella stand with drip tray at bottom to hold standard and telescopic umbrellas.
Standard colour powder coated metal finish..

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Standard colour powder coated metal finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-18

NAME OF PRODUCT:
GEO

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-18
PLANTERS

Fiberglass planter in standard colour fibreglass finish

DIMENSIONS

D500 X H750
D700 X H750

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

standard colour fibreglass finish

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
39111510 / SUNL-19 / 368375

NAME OF PRODUCT:
DOTTY

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-19
RECEPTION DESK LAMP

Reception desk lamp with textile shade and a standard finish powder coated metal base

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

textile shade and a standard finish powder coated metal base

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-20

NAME OF PRODUCT:
HOTBOX

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-20
LOCKER CADDIES WITH STRAP

Locker caddies with textile strap, as per product's standard finish
Caddie to fit into standard personal locker.

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

standard finish

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	90%
Recyclability Material Content	82%
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
39111510 / SUNL-021 / 368375

NAME OF PRODUCT:
DOTTY

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-21
DESK LAMP

Led desk lamp

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-022 / OS1S04

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-22
WALL MOUNTED FLIP CHART ON RAIL

Flipchart with magnetic coated steel whiteboard backing.
This is to be specified as part of the track system.
The flip chart hangs off a wall mounted track system.
With flexible paper suspension points which allow the use of any flipchart pads from any supplier

DIMENSIONS

W700mm

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

White and grey finish

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-023 / OSZS01

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-23
WALL MOUNTED TRACK SYSTEM TO BE USED IN CONJUNCTION WITH THE FLIP CHART ABOVE

Track system for flip chart.

DIMENSIONS

2400mm track - supplier can cut down to size that suits wall space.

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Aluminium track system.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
44120000 / SUNL-024 / OSC2007

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-24
MOBILE WRITABLE/MAGNETIC WHITEBOARD

Magnetic steel mobile dry erase whiteboard
(5 year surface guarantee)
Special locking handle to fix the board firmly in place
The mobile double sided whiteboard rotates through 360 degrees
Special non marking wheels glide easily.
Two wheels can be locked firmly in place when the board is being used
Includes built in pen tray
Includes all fixings and full set of easy to install instructions..

DIMENSIONS

Overall dimensions:
W1270mm X H1950mm

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Standard steel finish base frame with lockable castors.

UNIT PRICE

UNSPSC/PRODUCT CODE:
56101900/**SUNL-26**

NAME OF PRODUCT:
AWS

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-26
FREE STANDING BINS: CONFIDENTIAL

Mobile writable/magnetic whiteboard.
Standard steel finish base frame with lockable castors.

DIMENSIONS

W295 X D510 X H680

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / **SUNL-27**

NAME OF PRODUCT:
AWS

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-27
FREE STANDING BINS: GENERAL WASTE

Plastic/brushed steel free standing bins: general waste
50 Litre

DIMENSIONS

W295 X D510 X H680

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-28

NAME OF PRODUCT:
AWS

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-28
FREE STANDING BINS: RECYCLING

Plastic/brushed steel free standing bins: general waste
50 Litre

DIMENSIONS

W295 X D510 X H680

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-029 / 21492

NAME OF PRODUCT:
YOKO

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-29
WALL MOUNTED CLOCK

Decorative wallclock.
Product should be coordinated with designer drawing package.
Product's standard finish

DIMENSIONS

DIA330

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Product's standard finish

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
44120000 / SUNL-30

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-30
WALL MOUNTED MAGNETIC WHITEBOARDS

Writable / magnetic whiteboard. Wall mounted magnetic whiteboards.
Product should be coordinated with designer drawing package.

DIMENSIONS

W900 X H600
W1200 X H900
W1200 X H1200
W1800 X H1200
W2400 X H1200
W2700 X H1200

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Product's standard finish

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	20%
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
44120000 / SUNL-31

NAME OF PRODUCT:
BROOKLYN

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-31
MAGAZINE RACK

Ash wood handle for easy carrying.
Standard black.
Dual compartment for various sizes of magazines, books and journals.

DIMENSIONS

W387 X D356 X H210

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Standard black.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	24%
Recyclability Material Content	100%
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
23152102 / SUNL-32

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY

BESPOKE NO IMAGE AVAILABLE

ITEM DESCRIPTION/SPECIFICATION:
SUNL-32
FREE STANDING ACOUSTIC DIVIDER

Free standing acoustic divider.
Baseplate colour in black (RAL 9005).
Blinds felt with v-cut.

DIMENSIONS

H1500 X W320
Baseplate regular 1490L

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Standard black.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	N/A
Recyclability Material Content	N/A
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101543 / SUNL-33

NAME OF PRODUCT:
TIPO

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-33
FLIP DINING TABLE

Flexible bistro table.
Folding mechanism: die-castzinc.
Table top: melamine faced in white with smooth straight plastic edge.
Powder-coated steel in basic dark.
Feet glides to suit floor finish.

DIMENSIONS

Square: W750 x D750 x H740.

Circle: DIA795 X H740.

Rectangular: W640 X D795 X H740

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Table top: melamine faced in white with smooth straight plastic edge.
Powder-coated steel in basic dark.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	24%
Recyclability Material Content	989%
Information on Emissions	CO2 per 1 unit – 0.0377
Accreditation for Product	Manufactured to meet BS EN 15372 : 2016

UNSPSC/PRODUCT CODE:
56101543 / SUNL-34

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-34
DEMOUNTABLE DINING TABLE

Demountable table - removable legs and table top (t&tt braces).
Table top: melamine faced in white with smooth straight plastic edge.
Powder-coated steel in basic dark.
Feet glides to suit floor finish.

DIMENSIONS

Square: W750 X D750 X H740

Circle: DIA795 X H740.

Rectangular: W640 X D795 X H740

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Table top: melamine faced in white with smooth straight plastic edge.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	65%
Recyclability Material Content	98%
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-035 / OS394476

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-35
MEETING TABLE TROLLEY

Universal folding table trolley. Heavy duty steel design, manufactured in the UK.
Tubular support rails are covered with protective plastic sheaths.
Mounted on x2 swivel and x2 fixed 100mm castors.
H x W x D – 1260mm x 850mm x 1830mm
Easy to assemble.

DIMENSIONS

H x W x D - 1260 x 850 x 1830mm

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

standard finish

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	20%
Recyclability Material Content	85%
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-39

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-36
FLOOR LAMP

Floor standing lamp with hidden light source behind acrylic diffuser.
Standard range colour painted steel finish.

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Standard range colour painted steel finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-37

NAME OF PRODUCT:
HEMISPHERE

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-37
COAT HOOKS

Wall mounted coathooks.
Painted timber.

DIMENSIONS

Small - DIA90
Medium: DIA130
Large: DIA170

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Painted timber..

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-38

NAME OF PRODUCT:

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-38
WALL MOUNTED PICTURE FRAMES

Wall mounted picture frames, white painted RAL 9010 frame.

DIMENSIONS

420 X 297
203 X 252
304 X 1143
500 X 600
650 X 450

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

white painted RAL 9010 frame.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	N/A
Recyclability Material Content	N/A
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-39

NAME OF PRODUCT:
VIDAXL

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-39
WALL MOUNTED SHOE RACK

DIMENSIONS

Shoe rack as per product standard finish

920 X 320

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

standard finish.

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	24%
Recyclability Material Content	95%
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-40 / ZA454PB-ZA453P

NAME OF PRODUCT:
STORM & PRINCE

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-40
PARASOL

Outdoor parasol.
Concrete base.
Stainless steel tube with white high tech polyester fabric.
As per product standard finish.

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISH DETAILS

Stainless steel tube with white high tech polyester fabric

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
Recycled Content	18%
Recyclability Material Content	65%
Information on Emissions	N/A
Accreditation for Product	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-41 / ABL-BCPU-WH

NAME OF PRODUCT:
BCPU

PRODUCT AREA:
SUNDRY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-41
CPU HOLDER

CPU holder securely clamps and suspends under desk creating the illusion of it floating under the work surface.
White powder coated metal

DIMENSIONS

N/A

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

White powder coated metal

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	30%
Recyclability Material Content	85%
Information onEmissions	N/A
Accreditation forProduct	N/A

UNSPSC/PRODUCT CODE:
56101900 / SUNL-42

NAME OF PRODUCT:
FOLD

PRODUCT AREA:
SUNDRY

GPU ONLY

ITEM DESCRIPTION/SPECIFICATION:
SUNL-42
WRITING PAD FOR WORKSTATION

Black rubber/vinyl writing pad for work stations.

DIMENSIONS

1000 X 600

POWER OPTIONS

N/A

FABRIC/FINISHDETAILS

Black rubber/vinyl

UNIT PRICE

ENVIRONMENTAL/ACCREDITATION DATA Data	%
RecycledContent	25%
Recyclability Material Content	100%
Information onEmissions	N/A
Accreditation forProduct	BS 6250, BS EN 71.3